

# HERO

INNOVATIVE COLOR TECHNOLOGY



**ultrablend**  
by **HERO**  
INNOVATIVE COLOR TECHNOLOGY



**TruMix Family by Hero. Slide and Go!**

TruMix I • TruMix 5 • TruMix XHD • TruMix Ergo 5





# TruMix™ 1 5 | by HERO XHD

### FEATURES

- Tough
- Reliable
- Maintenance free
- Built to last (durability)
- Long lasting performance
- Easy operation
- Small footprint



Optional StackRack™  
(For two TruMix™ 1 by Hero only)



Reliable No-Slip Drive



Slide-in loading Automatic Bail Retainer

### Durability:

- Sturdy
- Balanced design → minimize wear
- Synthetic gears → resist wear and paint spills

### Low Cost of Ownership:

- Maintenance free
- Fully enclosed motors → spill proof, eliminates dust, dirt, humidity problems
- Lifetime-sealed bearings → no need for recurrent lubrication and cleaning
- Fiber-reinforced synchronous belts → never stretch, slip, break, no adjustment required

### Easy Operation:

- Easy to load → Slide in Can System
- No clamping required
- Automatic bail retainers

### Safety:

- Door interlock → doesn't open during operation



\* Production scheduled for 1<sup>st</sup> Q 2012

Specification	TruMix 1 By Hero	TruMix 5 By Hero	TruMix XHD By Hero
Overall Height	23.5"	37"	42"
Width	14.5"	24"	30"
Depth	20.8"	30"	36.5"
Weight	90 lbs	200 lbs	425 lbs
Load Capacity	20 lbs	80 lbs	80 lbs
Adapters	Pint/Quart Adapter Square Can Adapter	1-gallon Adapter	1-gallon Adapter
Option	Digital - Preset Time Digital - Time Select Mechanical Timer	Digital - Preset Time Digital - Time Select Mechanical Timer	Digital - Preset Time Digital - Time Select Mechanical Timer

Conforms to ANSI/UL STD 1450 certified to CAN/CSA STD C22.2 NO.68

HERO PRODUCTS GROUP • 720 Eaton Way, Delta, BC, Canada, V3M 6J9 • Tel: 1-604-522-6543 • sales@hero.ca • www.hero.ca

**ultrablend**  
by **HERO**  
INNOVATIVE COLOR TECHNOLOGY



**TruMix™**  
Ergo 5 | by **HERO**

The TruMix Ergo 5 by HERO is the first vortex 5-gallon paint blender to present an enhanced ergonomic design that is normally attributed to gyroscopic mixers.



#### Easy operation

- Simply open the door and load or unload
- Opening and closing is a cinch → Bucket position itself forward
- Reduces Operator strain → Stainless steel platform with built in rollers
- No thrown or jammed cans → latching system secures a 5 gallon pail

#### Reliable

- Low cost of ownership
- No lubrication → lifetime-sealed bearings
- No belts adjustments → fiber reinforced synchronous belts.
- No lubrication or cleaning → lifetime-sealed bearings
- Eliminates problems due to dust, dirt and humidity → fully enclosed motors are spill proof

#### Vortex Motion

Whether it is mixing latex or elastomeric, the vortex motion of the TruMix Ergo 5 can blend them completely.

When paint is mixed more completely there is a significant improvement in customer satisfaction because customers are more confident of the color accuracy. This translates into fewer mistints and returns due to under mixed paint.

\* Production scheduled for late 1<sup>st</sup> quarter 2013.

Specification	TruMix Ergo 5 by Hero
Overall Height	42"
Width	28"
Depth	33"
Weight	300 lbs
Load Capacity	80 lbs

Conforms to ANSI/UL STD 1450 certified to CAN/CSA STD C22.2 NO.68

HERO PRODUCTS GROUP • 720 Eaton Way, Delta, BC, Canada, V3M 6J9 • Tel: 1-604-522-6543 • sales@hero.ca • www.hero.ca